

## SQL Data Compare Defining Custom Keys

You can specify a custom key when the table or view has no built-in key or when the existing key is not suitable for data compare.

The following rules apply to custom keys:

- A custom key can be defined under the xml element <LeftObject> or <RightObject> of the <Pair> element
- A custom key must have a name and one or more columns
- The columns that participate in the custom key should exist in the parent table or view
- The key must be defined for each object in the pair of entities.
- The columns that participate in the custom key must be identical for both objects in the specified pair.

The following xml fragment defines a custom key for the pair of table dbo.Employees:

```
<TablePairs>
  <Pair>
    <LeftObject Name="dbo.Employees">
      <Key Name="Custom_Key">
        <Column>EmployeeID</Column>
      </Key>
    </LeftObject>
    <RightObject Name="dbo.Employees">
      <Key Name="Custom_Key">
        <Column>EmployeeID</Column>
      </Key>
    </RightObject>
  </Pair>
</TablePairs>
```

Total compare from data to schema with IDERA [SQL Comparison Toolset](#). [Learn more](#) > >

<a href="#">IDERA Website</a>	<a href="#">Products</a>	<a href="#">Purchase</a>	<a href="#">Support</a>	<a href="#">Community</a>	<a href="#">About Us</a>	<a href="#">Resources</a>	<a href="#">Legal</a>
-------------------------------	--------------------------	--------------------------	-------------------------	---------------------------	--------------------------	---------------------------	-----------------------