


Installing SQL Safe on IDERA Dashboard

You can install the IDERA Dashboard and SQL Safe Backup 8.5.1 on any computer that meets or exceeds the product requirements.


 Virtual Database is integrated to SQL Safe Backup 8.5.1. SQL Safe Backup installs VDB at all times. There is no option to install either product separately.

 Keep in mind, SQL Safe 8.5.2 can be installed without the IDERA Dashboard on an Operating System 2003.

Running the combined installer will display the following message: "The current Operating System is not supported by this product".

Review the following sections before your installation:

- [Product Components and Architecture.](#)
- [Hardware Requirements.](#)
- [Permission Requirements.](#)
- [Software Requirements.](#)
- [TSM Requirements.](#)

 The installation of SQL Safe Backup fails in scenarios where the Microsoft Visual C++ Redistributable requires Operating System updates. The following patches are required depending on your Operating System:

- For Windows 8.1, install KB2999226 which has a pre-requisite of KB2919355.
- For Windows Server 2012 R2, install KB2919355 which has a pre-requisite of KB2919442.

Installing SQL Safe Backup

1. Log on with an administrator account to the computer on which you want to install **SQL Safe Backup**.
2. Run the **SQL Safe Backup** installer.
3. Before you begin, the SQL Safe Backup wizard displays information about **what is needed** to complete the installation successfully.
4. Click **Next** and select a setup type to get started.
 - a. The **Full** setup installs the **SQL Safe Backup** and the **IDERA Dashboard**.
 - b. The **Custom** setup allows you to specify the components that you would like to install.
5. Click **Next**.

Full Setup

If you select to install the full setup, the **SQL Safe Backup** and the **IDERA Dashboard** components are installed.

The **SQL Safe Backup** components:

- SQL Safe Management Console
- SQL Safe Repository Database
- SQL Safe Backup Service
- SQL Safe Filter Service
- SQL Safe Object Level Recovery Service
- SQL Safe Collection Service
- SQL Safe Rest Service

The **IDERA Dashboard** components:

- IDERA Dashboard Repository Database
 - Dashboard Core Service
 - IDERA Dashboard Web Application Service
1. Review the license agreement. To accept this license agreement, select the **I accept the Terms and Conditions** checkbox. Click **Next**.
 2. Specify the **Destination Folder** where you want to install the **SQL Safe Backup** and **IDERA Dashboard**. Specify different path for each one. Click **Next**.
 3. Specify the **SQL Server Instance, Database Name, and Authentication** you want to use for the SQL Safe Repository and IDERA Dashboard Repository.
By default, the **Windows Authentication** is selected. If you want to use the **Microsoft SQL Server Authentication**, select this option and specify the login name and password for this account, and click save.
Before you continue, you can **Test Connections** to make sure the SQL Server instance is connected. Then, click **Next**.
 4. Specify the **Service Account** under which the SQL Safe Backup and IDERA Dashboard services will run under.
 5. Specify the account to be used by the **SQL Safe Backup Management Service** to connect to the SQL Safe Backup Repository Database.
By default, the **Windows account** specified on the previous step is selected. If you want to use the **Microsoft SQL Server Authentication**, select this option and specify the respective SQL Sever login credentials, and click **Next**.
 6. Once the **SQL Safe Backup** is ready to install, review the settings you selected and click **Install**. If you want to edit your settings, select **Back** and make your changes.
 7. If not already available in the system, the **Microsoft Visual C++ 2015 Update 3 Redistributable** installation is requested. Click **Install** to install the program.
 8. When the SQL Safe Backup installation completes, you can either:
 - Go to the **Start Menu**, select **IDERA - SQL Safe Management Console**.
 - Open the **IDERA Dashboard** through the URL <https://localhost:9291> from a web browser.
 - Configure the **Firewall**.
 - Launch the **SQL Safe Management Console**.
 - Click **Finish** to exit the wizard.

Custom Setup

If you select to install the custom setup, you can specify the components that you would like to install.

- [SQL Safe Backup](#)

- [IDERA Dashboard](#)
- [SQL Safe Agent Components](#)
- [SQL Safe Management Console and SQL Safe Agent Components](#)
- [IDERA Dashboard and SQL Safe Backup](#)
- [IDERA Dashboard and SQL Safe Agent Components](#)
- [IDERA Dashboard, SQL Safe Management Console, and SQL Safe Agent Components](#)

Installing only the IDERA Dashboard

If you only want to install the **IDERA Dashboard**, then follow these steps:

1. In the installation wizard, select **IDERA Dashboard**.
2. Review the license agreement. To accept this license agreement, select the **I accept the Terms and Conditions** checkbox. Click **Next**.
3. Specify the **Destination Folder** where you want to install the **IDERA Dashboard**. Click **Next**.
4. Determine the **SQL Server Instance, Database Name, and Authentication** you want to use for the IDERA Dashboard Repository.
By default, the setup program uses your **Windows credentials** to create this Database. If you want to use **Microsoft SQL Server Authentication**, select this option, then specify the login name and password for this account. Click **Save**.
Before you continue, you can **Test Connections** to make sure the SQL Server instance is connected. Then, click **Next**.
5. Specify the **Service Accounts** under which the IDERA Dashboard services will run under.
6. Once **IDERA Dashboard** is ready to install, review the settings you selected and click **Install**. If you want to edit your settings, select **Back** and make your changes.
7. When the installation completes, you can either:
 - Open the **IDERA Dashboard** through the link <https://localhost:9291>.
 - Configure the **Firewall**.
 - Click **Finish**.

Installing only the SQL Safe Backup Components

If you already have the **IDERA Dashboard** installed elsewhere and you only want to install the **SQL Safe Management Components**, then follow these steps:

1. In the installation wizard, select **SQL Safe Backup**.
2. Review the license agreement. To accept this license agreement, select the **I accept the Terms and Conditions** checkbox. Click **Next**.
3. Determine if you are going to register the **SQL Safe Backup** with an existing **IDERA Dashboard**.
By default, the option Yes is selected. SQL Safe Backup automatically detects if you have a local IDERA Dashboard installed in your computer. If your IDERA Dashboard is located on a remote server, then specify the HostName and Port number of this server. Type administrator credentials to access this Dashboard and click **Next**.
If you select No, then proceed to the next step.
4. Specify the **Destination Folder** where you want to install the SQL Safe Backup application. Click **Next**.

5. Specify the **SQL Server Instance, Database Name, and Authentication** you want to use for the SQL Safe Backup Repository.
By default, the **Windows Authentication** is selected. If you want to use the **Microsoft SQL Server Authentication**, select this option and specify the login name and password for this account, and click save.
Before you continue, you can **Test Connections** to make sure the SQL Server instance is connected. Then, click **Next**.
6. Specify the **Service Account** under which the SQL Safe Backup and IDERA Dashboard will run under.
7. Specify the account to be used by the **SQL Safe Backup Management Service** to connect to the SQL Safe Backup Repository Database.
By default, the Windows account specified on the previous step is selected. If you want to use the **Microsoft SQL Server Authentication**, select this option and specify the respective SQL Server login credentials, and click **Next**.
8. Once the **SQL Safe Backup** is ready to install, review the settings you selected and click **Install**. If you want to edit your settings, select **Back** and make your changes.
9. If not already available in the system, the **Microsoft Visual C++ 2015 Update 3 Redistributable** installation is requested. Click **Install** to install the program.
10. When the installation completes, you can either:
 - Go to the **Start Menu**: select **IDERA - SQL Safe Management Console**.
 - Configure the **Firewall**.
 - Launch the **SQL Safe Management Console**.
 - Click **Finish**.

Installing only the SQL Safe Agent Components

If you only want to install the **SQL Safe Backup Agent** on your SQL Server instance, then follow these steps:

1. In the installation wizard, select **SQL Safe Agent Components**.
2. Review the license agreement. To accept this license agreement, select the **I accept the Terms and Conditions** checkbox. Click **Next**.
3. Specify the **Destination Folder** where you want to install the SQL Safe Backup Agent application. Click **Next**.
4. Specify the **Service Account** under which the SQL Safe Backup and IDERA Dashboard will run under.
5. Specify the name of the **server** that hosts the SQL Safe Management Service.
6. Once the **SQL Safe Backup** is ready to install, review the settings you selected and click **Install**. If you want to edit your settings, select **Back** and make your changes.
7. If not already available in the system, the **Microsoft Visual C++ 2015 Update 3 Redistributable** installation is requested. Click **Install** to install the program.
8. When the installation completes, you can either:
 - Configure the **Firewall**.
 - Click **Finish**.

Installing only the SQL Safe Management Console and SQL Safe Agent Components

If you only want to install the **SQL Safe Management Console** and **SQL Safe Agent Components** on your SQL Server Instances, then follow these steps:

1. In the installation wizard, select the **SQL Safe Management Console** and **SQL Safe Agent Components**.
2. Review the license agreement. To accept this license agreement, select the **I accept the Terms and Conditions** checkbox. Click **Next**.
3. Specify the **Destination Folder** where you want to install the SQL Safe Backup application. Click **Next**.
4. Specify the name of the **server** that hosts the SQL Safe Management Service.
5. Once the **SQL Safe Management Console** and **SQL Safe Agent Components** are ready to install, review the settings you selected and click **Install**. If you want to edit your settings, select **Back** and make your changes.
6. If not already available in the system, the **Microsoft Visual C++ 2015 Update 3 Redistributable** installation is requested. Click **Install** to install the program.
7. When the installation completes, you can either:
 - Go to the **Start Menu**: select **IDERA - SQL Safe Management Console**.
 - Configure the **Firewall**.
 - Launch the **SQL Safe Management Console**.
 - Click **Finish**.

Installing the IDERA Dashboard and SQL Safe Backup Components

If you want to install the **IDERA Dashboard** and the **SQL Safe Backup** components, then follow the **Full** setup steps.

Installing the IDERA Dashboard and SQL Safe Agent Components

If you want to install the **IDERA Dashboard** and the **SQL Safe Agent Components** on your SQL Server Instances, then follow these steps:

1. In the installation wizard, select **IDERA Dashboard** and **SQL Safe Agent Components**.
2. Review the license agreement. To accept this license agreement, select the **I accept the Terms and Conditions** checkbox. Click **Next**.
3. Specify the **Destination Folder** where you want to install the SQL Safe Backup and IDERA Dashboard. Specify different path for each one. Click **Next**.
4. Specify the **SQL Server Instance, Database Name, and Authentication** you want to use for the IDERA Dashboard Repository.
By default, the **Windows Authentication** is selected. If you want to use the **Microsoft SQL Server Authentication**, select this option and specify the login name and password for this account, and click save.
Before you continue, you can **Test Connections** to make sure the SQL Server instance is connected. Then, click **Next**.
5. Specify the **Service Account** under which the SQL Safe Backup and IDERA Dashboard will run under.
6. Specify the name of the **server** that hosts the SQL Safe Management Service.
7. Once the **IDERA Dashboard** and **SQL Safe Agent Components** are ready to install, review the settings you selected and click **Install**. If you want to edit your settings, select **Back** and make your changes.
8. When the installation completes, you can either:
 - Open the **IDERA Dashboard** through the link <https://localhost:9291>.
 - Configure the **Firewall**.

- Click **Finish**.

Installing the IDERA Dashboard, SQL Safe Management Console, and SQL Safe Agent Components

If you want to install the **IDERA Dashboard**, the **SQL Safe Management Consosle**, and the **SQL Safe Agent Components** on your SQL Server Instances, then follow these steps:

1. In the installation wizard, select **IDERA Dashboard**, **SQL Safe Management Console**, and **SQL Safe Agent Components**.
2. Review the license agreement. To accept this license agreement, select the **I accept the Terms and Conditions** checkbox. Click **Next**.
3. Specify the **Destination Folder** where you want to install the SQL Safe Backup and IDERA Dashboard. Specify different path for each one. Click **Next**.
4. Specify the **SQL Server Instance**, **Database Name**, and **Authentication** you want to use for the IDERA Dashboard Repository.
By default, the **Windows Authentication** is selected. If you want to use the **Microsoft SQL Server Authentication**, select this option and specify the login name and password for this account, and click save.
Before you continue, you can **Test Connections** to make sure the SQL Server instance is connected. Then, click **Next**.
5. Specify the **Service Account** under which the SQL Safe Backup and IDERA Dashboard will run under.
6. Specify the name of the **server** that hosts the SQL Safe Management Service.
7. Once the **IDERA Dashboard**, the **SQL Safe Management Consosle**, and the **SQL Safe Agent Components** are ready to install, review the settings you selected and click **Install**. If you want to edit your settings, select **Back** and make your changes.
8. If not already available in the system, the **Microsoft Visual C++ 2015 Update 3 Redistributable** installation is requested. Click **Install** to install the program.
9. When the installation completes, you can either:
 - Go to the **Start Menu**: select **IDERA - SQL Safe Management Console**.
 - Open the **IDERA Dashboard** through the URL <https://localhost:9291> from a web browser.
 - Configure the **Firewall**.
 - Launch the **SQL Safe Management Console**.
 - Click **Finish**.

Accessing SQL Safe Backup with IDERA Dashboard

To access the **IDERA Dashboard**, type the following URL into your browser: <https://localhost:9291> or the port you specified.

i The URL used to access the IDERA Dashboard is constructed from the name of the machine on which the IDERA Dashboard was installed and the port specified for the IDERA Dashboard Web Application Service. For example, if the IDERA Dashboard was installed on a machine named *MYSERVER* and the Idera Dashboard Web Application Service used the default port of 9291, then the URL to access the IDERA Dashboard would be the following: <http://MYSERVER:9291>

Logging into the Web Application

To log into **SQL Safe Backup** web application you can use one of the following alternatives.

- Type an account with permissions to access SQL Safe Backup (the account you provided at installation for example).
- Select **Log on using Windows credentials** to use Windows integrated authentication and bypass the login process. (You may need to configure your browser for this option, go to [Configuring your browser for Windows Authentication](#) to find out more information).

[IDERA](#) | [Products](#) | [Purchase](#) | [Support](#) | [Community](#) | [Resources](#) | [About Us](#) | [Legal](#)