



# Using Real-Time

You can pause recording and save a session for later analysis. The charts are zoomable.

 To start using Real-Time, select a server from the dropdown, choose a saved session, or select **Start new session**.

REAL TIME



### Real Time Monitoring

Select a server and start session. You may also load an ongoing/saved session.

MariaDB

Start new session


Load saved session

SQL Diagnostic Manager for MySQL and MariaDB Trial 8.7.0 © 2018 Webyog Your Trial expires in 6 days

Documentation Feedback

SQL DM for MySQL stores Real-Time data gathered in a session in SQLite. You can find them in the data folders under `realtimedata`. Real-Time data collection for the server stops and save after three days if no activity happens inside that session.

Statements Bytes Connections Table Locks



Plot on value per sec

Queries

contains

Type Here


Showing 1 to 10 of 13 Queries

Query	Count	Total Time	Average Latency	Full Table Scan	Success Count
SHOW GLOBAL VARIABLES	1	00.002	00.002	1	1
SHOW GLOBAL STATUS	1	00.001	00.001	1	1
SHOW OPEN TABLES;	40	00.053	00.001	40	40
SELECT 'UNIX_TIMESTAMP' ( DATE_SUB ( NOW ( ), INTERVAL ? SQL_TS_SECOND ) ) AS 'starttime'	1	00.001	00.001	0	1
SELECT * FROM ( ( SELECT 'digest' AS 'Digest', 'SCHEMA_NAME AS 'Db', 'digest_text' AS 'Query', 'count_star' AS 'Count', 'IFNULL' (	4	00.004	0	4	4
SHOW OPEN TABLES;	188	00.111	0	188	188
SHOW OPEN TABLES;	40	00.022	0	40	40
SELECT COUNT ( * ) AS 'count' FROM 'performance_schema' . 'events_statements_summary_by_digest'	4	00.001	0	4	4
SHOW OPEN TABLES;	240	00.074	0	240	240
SELECT * FROM 'mysql' . 'user'	1	0	0	1	1


Real-Time gives you details of your server activity.

The Queries tab gives you an aggregated view of the queries that are executed in a session. This information is obtained from the `SHOW FULL PROCESSLIST`. You get additional information like execution time, user/host information, and the total count for each query. You do not have to enable general log to retrieve this information.

The Tables and Databases tabs detail information retrieved using `SHOW OPEN TABLES`:



The Hosts, Users, and Slow queries are again fetched from the `SHOW FULL PROCESSLIST` and aggregated information is displayed. There is an option to change the slow query time of Real-Time profiler. On selecting Slow queries, Real-Time considers the queries taking more than the specified time as slow queries.



The Locked queries, Locking queries, and Locked tables tabs are fetched from InnoDB transaction tables.

For MySQL versions above 5.1, InnoDB plugin has to be installed to retrieve locked and locking query information. But for 5.5 onwards MySQL comes with InnoDB storage engine. Refer [InnoDB Introduction](#) for more details.

