# **Configuring your browser for Windows Authentication**

To be able to use Windows Authentication to log into IDERA Dashboard, you have to configure your internet and browser settings.

## Configuring Internet Explorer 9, 10, and 11

To configure these versions of Internet Explorer , follow these steps:

- 1. Go to Control Panel and then Internet Options.
- 2. Click Security
- 3. Click Internet and then Custom Level.

Internet Options
General Security Privacy Content Connections Programs Advanced
Select a zone to view or change security settings.
Internet Local intranet Trusted sites Restricted sites
Internet
This zone is for Internet websites, except those listed in trusted and restricted zones.
Security level for this zone
Allowed levels for this zone: Medium to High
Medium-high     Appropriate for most websites     Prompts before downloading potentially unsafe     content     Unsigned ActiveX controls will not be downloaded
Enable Protected Mode (requires restarting Internet Explorer)
Custom level Default level
Reset all zones to default level
OK Cancel Apply

4. Go to Scripting/Active scripting and make sure **Enable** is selected.

ettings		
C	) Disable	
_ (	Enable	
N	ebsites in less privileged web content zone can navigate in	
C	Disable	
0	) Enable	
0	) Prompt	
Script	ing	
S A	ctive scripting	
C	Disable	
(	Enable	
	Prompt	
A	IIOW Programmatic clipboard access	_
6	Eashla	-
0	Promot	
A	low status har undates via scrint	Ŧ
•	4 III	
Takes eff	ect after you restart your computer	
eset custo	m settings	
eset to:	Medium-high (default)	
		_
		_

5. Then go to User Authentication/Logon and make sure Automatic logon with current user name and password is selected.

6. Click OK.

ettings			
(	Disable		
0	Enable		
5 E	nable XSS filter		
0	Disable		
0	Enable		
🗐 S	cripting of Java applets		
C	Disable		
0	Enable		
0	) Prompt		
Ser User	Authentication		
8 L	ogon		
C	Anonymous logon		
0	Automatic logon only in In	tranet zone	
0	Automatic logon with curre	ent user name ar	id password
C	Prompt for user name and	password	-
•	III		•
*Takes eff	ect after you restart your co	mputer	
eset custo	m settings		
eset to:	Medium-high (default)	•	Reset
	NP		
			_

7. Click Local intranet and then Sites.



8. Type the URL you are going to use (e.g. http://sqlj01 ) and click  $\boldsymbol{Add}.$ 

9. Click Close.

Local intranet					
You can add and remove websites from this zone. All websites in this zone will use the zone's security settings.					
Add this website to the zone: http://sqlj01 Websites:					
Remove					
Require server verification (https:) for all sites in this zone					
Close					

10. Go to Advanced and make sure Enable Integrated Windows Authentication is selected.

11. Click **OK**.

Internet C	Options					? X
General	Security	Privacy	Content	Connections	Programs	Advanced
Setting	gs					
	Check Check Do noi Empty Enable Enable Enable Enable Enable Enable Enable Enable	for serve for signal t save end Tempora DOM Sto Enhance Integrat smartSco Scient D2	r certificati tures on do rypted pag ry Internet rage d Protecte ed Window MLHTTP su reen Filter	e revocation* ownloaded prog ges to disk : Files folder wh d Mode* is Authentication pport	grams nen browser on*	is dc
	Use S	Strict P3 SL 2.0	P validation	17		
	Use S	SL 3.0				=
	Use Ti	.S 1.0 .S 1.1				-
•			III			•
*Та	akes effect a	after you	restart you	ir computer		
				Restore	advanced s	ettings
Reset	Internet Ex	plorer set	tings			
Res con You	ets Internet dition. should only	Explorer	s settings f	to their default vser is in an un	Reso usable state	et
			Ok	Ca	ancel	Apply

12. Open Internet Explorer, go to Tools in the menu bar and select Compatibility View Settings.



13. In the Compatibility View Settings window make sure Display intranet sites in Compatibility View is selected.

14. Click Close.

ompatibility View Settings	X
You can add and remove websites to be displ Compatibility View.	layed in
Add this website:	
	Add
Websites you've added to Compatibility View:	
	Remove
Display all websites in Compatibility View	
Display intranet sites in Compatibility View	
Download updated compatibility lists from Microsof	t
Learn more by reading the Internet Explorer priva	cy statement
	Close

# Configuring Microsoft Edge

To configure Microsoft Edge, the first 11 steps are the same as Internet Explorer 9, 10, and 11. Then:

- 12. Open Microsoft Edge.
- 13. Press Alt + F to bring up the Edge menu and then click on Settings.



14. In the Settings window, click on Default Browser on the left pane.

D tit Settings x +		- 0 ×
$\leftarrow$ C $\textcircled{edge} \mid edge://settings/profiles$	10 f=	G 😩 …
Settings Search settings Profiles Privacy, search, and services Appearance Sidebar Start, home, and new tabs Share, copy and paste Cookies and site permissions	Your profile Profile 1 Back up your browsing data and see your favorites, passwords, history, and more on all your devices. Microsoft Privacy Statement Choose an account Add new account	- Add profile
<ul> <li>Default browser</li> <li>Downloads</li> <li>Family</li> <li>A<sup>1</sup> Languages</li> <li>Printers</li> <li>System and performance</li> <li>Reset settings</li> <li>Phone and other devices</li> <li>Accessibility</li> <li>About Microsoft Edge</li> </ul>	<ul> <li>Sync</li> <li>Microsoft Rewards</li> <li>Personal info</li> <li>Passwords</li> <li>Payment info</li> <li>Import browser data</li> <li>Profile preferences</li> <li>Share browsing data with other Windows features</li> </ul>	> > > > > > > > >

### 15. Next, navigate to Internet Explorer Mode on the right and click on the drop-down menu to select Allow.

	Allow
llow sites to be reloaded in Internet Explorer mode (IE mode) 🕐	Allow V
/hen browsing in Microsoft Edge, if a site requires Internet Explorer for compatibility, you can choose to reload it in Internet	Default
nternet Explorer mode pages	Allow
nese pages will open in Internet Explorer mode for 30 days from the date you add the page. No pages have been added to	Don't allow

16. Restart the web browser.

### **Configuring Google Chrome**

To learn how to configure Google Chrome, visit the following link: http://dev.chromium.org/developers/design-documents/http-authentication.

### Configuring Mozilla Firefox

To configure the **Mozilla Firefox** web browser, follow these steps:

- 1. Open Mozilla Firefox, type about:config, and hit the enter key.
- 2. Click Accept the Risk and Continue.

۲	83 Advanced Preferences	×	+	$\sim$	-	٥	×
$\leftarrow$	$\rightarrow$ G	⊌ Firefox	about:config	\$	${igsidential}$	பி	≡

# Proceed with Caution

Changing advanced configuration preferences can impact Firefox performance or security.

✓ Warn me when I attempt to access these preferences



#### 3. Click Show All.

4. Search for network.negotiate-auth.delegation-uris, click the pencil icon to edit, type https://localhost:9291, and hit enter to save changes.

		~	– ø ×
$\leftarrow$ $\rightarrow$ C $\bullet$ Firefox about:config		☆	ତ ମି ≡
Q Search preference name		Show only mod	dified preferences
network.mdns.use_js_fallback	false		4
network.negotiate-auth.allow-non-fqdn	false		4
network.negotiate-auth.allow-proxies	true		⇒
network.negotiate-auth.delegation-uris	https://localhost:9291		1
network.negotiate-auth.gsslib			1
network.negotiate-auth.trusted-uris			1

#### 5. Repeat with network.automatic-ntlm-auth.trusted-uris.

Advanced Preferences × +		~ - 6 ×
$\leftarrow$ $\rightarrow$ C either of the determinant of the determi		☆ ♡ ☆ =
Q Search preference name		Show only modified preferences
network.automatic-ntlm-auth.allow-non-fqdn	false	<b>⇒</b>
network.automatic-ntlm-auth.allow-proxies	true	4
network.automatic-ntlm-auth.trusted-uris	https://localhost:9291	1
network.buffer.cache.count	24	1
network.buffer.cache.size	32768	1

6. Close all instances of Firefox to make the changes effective. Launch the browser again and access the application.

IDERA | Products | Purchase | Support | Community | Resources | About Us | Legal