


Configuring your browser for Windows Authentication

In order to be able to use Windows Authentication to log into SQL Enterprise Job Manager, you have to configure your browser settings.



Internet Explorer 9,10,11

To configure these versions of **Internet Explorer**, follow these steps:


1. Go to **Internet Options**
2. Click **Security**
3. Click **Internet** and then **Custom Level**



4. Go to Scripting/Active scripting and make sure **Enable** is selected.
5. Then go to User Authentication/Logon and make sure **Automatic logon with current user name and password** is selected.
6. Click **OK**.




7. Click **Local intranet** and then **Sites**




8. Type the following site <http://sqlj01> and click **Add**.

9. Click **Close**.




10. Go to **Advanced** and make sure **Enable Integrated Windows Authentication** is selected.

11. Click **OK**.




11. Go to **Tools** in the menu bar, and select **Compatibility View Settings**.



12. In the **Compatibility View Settings** window make sure **Display intranet sites in Compatibility View** is selected.

13. Click **Close**.




Configuring Google Chrome and Mozilla Firefox

To configure **Google Chrome**, you can go to the following link: <http://dev.chromium.org/developers/design-documents/http-authentication>.

To configure **Mozilla Firefox**, view the following steps:

1. Open your Mozilla Firefox browser and type **about:config**.
2. Click **I'll be careful, I promise!**.




3. Search and double click **network.negotiate-auth.delegation-uris**


A screenshot of the Firefox "about:config" page. A search bar at the top contains the text "network.negotiate-auth.delegation-uris". Below the search bar is a table of preferences. One row, "network.negotiate-auth.delegation-uris", is selected and highlighted with a red box. The table has columns for Preference Name, Status, Type, and Value. The value for this preference is currently an empty string.

4. Type your server name and localhost.

5. Click **OK**.



6. Double click **network.negotiate-auth.trusted-uris**.



The screenshot shows the Firefox 'about:config' page. A red box highlights the 'network.negotiate-auth.trusted-uris' entry in the list of preferences.

Preference Name	Status	Type	Value
network.negotiate-auth.osplib	default	string	
network.negotiate-auth.trusted-uris	default	string	
network.negotiate-auth.using-native-gsslib	default	boolean	true
network.ntlm.send-lm-response	default	boolean	false
network.online	default	boolean	true
network.prefetch-next	default	boolean	true

7. Type again your server name and localhost and click **OK**.

SQL Enterprise Job Manager monitors and manages your SQL Server agent jobs. [Learn more >](#)

IDERA Website	Products	Purchase	Support	Resources	Community	About Us	Legal
-------------------------------	--------------------------	--------------------------	-------------------------	---------------------------	---------------------------	--------------------------	-----------------------