

## Creating a new role

Use the following steps if you **do not** have an existing application or service that you want to use for the SQL Safe Management Service:

1. Open the **Windows Failover Cluster Management** application named **cluadmin.msc**.
2. Right-click on **Services and Applications**, and then select **Configure a Service or Application**.  
 On the Select Service or Application window, click **Generic Service**, and then click **Next**.  
 On the Select Service window, click **SQL Safe Management Service**, and then click **Next**.  
 On the Client Access Point window, type or select the IP address and network name that you want to use to access the SQL Safe Management Service, and then click **Next**.  
 On the Select Storage window, click **Next**.  
 On the Replicate Registry Settings window, click **Add**.  
 In the root registry field, type the following text: *Software\Idera\SQL Safe\Management Service*. Click **OK** and **Next**.  
 On the Confirmation window, click **Next**.  
 On the Summary window, click **Finish**.
3. Right-click on **Services and Applications**, and then select **Configure a Service or Application**.  
 On the Select Service or Application window, click **Generic Service**, and then click **Next**.  
 On the Select Service window, click **SQL Safe Collection Service**, and then click **Next**.  
 On the Client Access Point window, type or select the IP address and network name that you want to use to access the SQL Safe Management Service, and then click **Next**.  
 On the Select Storage window, click **Next**.  
 On the Replicate Registry Settings window, click **Next**.  
 On the Confirmation window, click **Next**.  
 On the Summary window, click **Finish**.
4. Right-click on **Services and Applications**, and then select **Configure a Service or Application**.  
 On the Select Service or Application window, click **Generic Service**, and then click **Next**.  
 On the Select Service window, click **SQL Safe Rest Service**, and then click **Next**.  
 On the Client Access Point window, type or select the IP address and network name that you want to use to access the SQL Safe Management Service, and then click **Next**.  
 On the Select Storage window, click **Next**.  
 On the Replicate Registry Settings window, click **Add**.  
 In the root registry field, type the following text: *Software\Idera\SQLSafeRestService*. Click **OK** and **Next**.  
 On the Confirmation window, click **Next**.  
 On the Summary window, click **Finish**.
5. Once you register the **SQL Safe services as a Generic Resource**, right-click each of the new Generic Service Resource, and then select **Bring this resource online**. Your SQL Safe Management Service is now configured for cluster failover.