

Editors and Viewers

Aqua Data Studio editors are a powerful tool for creating and modifying your scripts and other source code. Aqua Data Studio supports SQL, AquaScript, Text, HTML, XML, JavaScript and Java Editors.

You can open a new editor in multiple ways:

- On the Aqua Data Studio Toolbar, click [blocked URL](#). From the additional drop-down list, open the desired editor.
- To open a new Query Analyzer tab, select the database on which you want to execute a query and then press CTRL/Command+Q.

You can open an existing file in an editor in multiple ways:

- Double-click a file within the Schema/Files Browser to open it in its associated editor within a new tab.
- Files dragged from the desktop into Aqua Data Studio will open each in a separate tab.

Standard Options Across All Editors

In this section

- [Standard Options Across All Editors](#)
- [Editor Specific Options](#)
- [Configuring Editors](#)
 - [Abbreviations](#)
 - [Creating Abbreviations](#)
 - [Options and Keystrokes](#)
 - [Appearance](#)
 - [Change an Editor's Appearance](#)
 - [Auto Indent](#)
 - [Change the Auto Indent Setting](#)
 - [Set Text Limit Line Indicator](#)
 - [Change the Text Limit Line Indicator Setting](#)
 - [Configure Maximum Content Size](#)
 - [Set a New Content Size](#)
- [Right-Click Options on the Annotation Bar](#)
- [Code Folding](#)
 - [Code Folding Behavior in Editors](#)
 - [Folding Commands](#)
 - [Change Code Folding Setting](#)
- [Punctuation Completion](#)
 - [Punctuation Completion Settings](#)
 - [Change Punctuation Completion Settings](#)
- [Encoding](#)
 - [Choose a New Encoding](#)
 - [Change Encoding of an Opened File](#)
 - [Encoding Compatibility](#)
- [Lens Mode](#)
 - [Change Lens Mode Setting](#)
- [Line Separators](#)
 - [Line Separator for Existing Files](#)
 - [Line Separator for New Files](#)
- [Selecting Text in the Editor](#)
 - [Block Selection](#)
 - [Row Selection](#)
- [Print](#)
- [Navigate in Editors](#)
 - [Marker Bar](#)
 - [Bookmarks](#)
 - [Go To Line](#)
- [Find and Replace](#)
 - [Find](#)
 - [Find and Replace](#)
- [Inline Diff Indicators](#)
 - [Inline Diff Indicator Toolbar](#)
 - [Change Inline Diff Indicator Setting](#)
 - [Navigate between Inline Diff Indicators](#)
 - [Change Colors for Inline Diff Indicators](#)
- [Change Font Size with Mouse Wheel](#)
 - [Change Font Size Setting](#)

Editor Specific Options

In this section

- [SQL Editor](#)

- Autocompletion
 - Change Autocompletion Setting
 - Change Autocompletion Case Sensitive Matching Setting
 - Navigate to Next/Previous Highlighted Error
- AquaScript Editor
 - Autocompletion
 - Change Autocompletion Setting
 - Change Autocompletion Case Sensitive Matching Setting
 - Parameter Hint
 - Variable Highlighting
 - Annotator
 - Navigate to Next/Previous Highlighted Error
- HTML and XML Editors
 - Automatic Tag Closure
 - Auto-Update Tag Attributes
 - Breadcrumb Trail
- Image Viewer