


Configure authentication

The Configure Authentication window of the Add Servers wizard allows you to select the authentication credentials SQL Diagnostic Manager uses when collecting performance and statistics information from your SQL Server instances. You can also set encryption to secure the connection.


After selecting a connection type and encryption, click **Next** to continue.

Access the Add Servers wizard

You can open the Add Servers wizard from the SQL Diagnostic Manager Console menu by selecting  > **Manage Servers** and clicking **Add** in the Manage Servers window.

Select a connection type

Windows Authentication is the recommended collection type as SQL Diagnostic Manager uses many SQL trace statements that require a trusted connection. When you select and use **Windows Authentication**, the account the SQLdm Collection Service is running as is used to connect to the SQL Server instance.



Add Servers Wizard

Configure Authentication

Select the authentication mode and credentials SQL Diagnostic Manager should use when collecting diagnostic data from the monitored SQL Server instances.

SQL Server instances are added in groups based on the authentication mode specified below. Please note that all diagnostic data is collected by the SQL Diagnostic Manager Collection Service. If you choose to connect using Windows Authentication, the account the SQL Diagnostic Manager Collection Service is running as will be used to connect to monitored SQL Servers.

Connect using:

Windows Authentication

☐ Alternative windows domain/user authorization

Login name:

Password:

☐ Enable Azure Discovery Settings


Advanced Encryption Options

☐ Encrypt Connection

☐ Trust Server Certificate (bypass certificate validation)

Azure Discovery Settings

< Back Next > Cancel

 From SQL Diagnostic Manager 12.0, you can monitor across untrusted domains by selecting the **Alternative windows domain/user authorization**.

Select encryption

SQL Diagnostic Manager allows you to designate encryption methods used to encrypt data between the SQLdm Collection Service and the monitored SQL Server instance:

- **Encrypt Connection.**
- **Trust Server Certificate (Bypass Certificate Validation):** Only available after you select **Encrypt Connection**.

[IDERA](#) | [Products](#) | [Purchase](#) | [Support](#) | [Community](#) | [Resources](#) | [About Us](#) | [Legal](#)