

Deploying the IDERA Dashboard in a clustered environment

The **IDERA Dashboard** does not currently support clustered environments. Given this limitation, IDERA Dashboard must be installed on a stand-alone server.

1. Log onto the stand-alone server using an Administrator Account.
2. Run the **SQL Safe Backup** installer.
3. On the first screen, the **SQL Safe Backup** wizard displays information about what is needed to complete the installation successfully, click **Next**.
4. Select the **Custom** setup type, then click **Next**.
5. Select the **IDERA Dashboard** option.
6. Review the license agreement. To accept this license agreement, select the **I accept the terms and conditions** checkbox. Click **Next**.
7. Specify the **Destination Folder** where you want to install the **IDERA Dashboard**. Click **Next**.
8. Determine the SQL Server Instance, Database Name, and Authentication you want to use for the **IDERA Dashboard Repository**.
By default, the setup program uses your **Windows credentials** to create this Database.
If you want to use **Microsoft SQL Server Authentication**, select this option, then specify the login name and password for this account. Click **Save**.
Before you continue, you can **Test Connections** to make sure the SQL Server instance is connected. Then, click **Next**.
9. Specify the **Service Accounts** under which the **IDERA Dashboard** services will run under.
10. Once **IDERA Dashboard** is ready to install, review the settings you selected and click **Install** to install the program.
If you want to edit your settings, select **Back** and make your changes.
11. When the installation completes, Click **Finish**.