

SQL Schema Compare Command Line Filegroup Mappings

Filegroup mappings allow you to compare databases that have different filegroup structure. for more details about filegroup mappings, see [SQL Schema Compare Filegroup Mappings](#).

The screenshot shows the 'Idera Schema Compare Command Line Wizard' window. The 'Filegroup Mappings' tab is selected. The 'Mapping Rule' is set to 'Map Filegroups by Mappings'. The 'Source Filegroup' is 'FG_SOURCE_1' and the 'Target Filegroup' is 'FG_TARGET_1'. The 'Source Filegroup' is 'FG_SOURCE_2' and the 'Target Filegroup' is 'FG_TARGET_2'. The 'Filestream Filegroup Mappings' section is also visible, showing a mapping rule of 'Map Filegroups by Name'.

Source Filegroup	Target Filegroup
FG_SOURCE_1	FG_TARGET_1
FG_SOURCE_2	FG_TARGET_2

Below is the xml fragment generated for this filegroup mapping scenario:

```
<FileGroupSettings>
  <ComparisonType>ByMappings</ComparisonType>
  <Mappings>FG_SOURCE_1:FG_TARGET_1;FG_SOURCE_2:FG_TARGET_2<
/Mappings>
</FileGroupSettings>
```

[IDERA](#) | [Products](#) | [Purchase](#) | [Support](#) | [Community](#) | [Resources](#) | [About Us](#) | [Legal](#)