SQL Data Compare Comparing Data

After completing the preparation phase of the comparison you are ready to compare the data in all those mapped objects (tables and views). To start the comparison either click on the **Compar e Data** button on the ribbon (under the Review Comparison tab) or click on the **Compare Data** on the right panel of the Mapped Objects window. A progress window displays the start time, elapsed time and the names of the objects being compared. If you cancel the comparison operation IDERA SQL Data Compare will display partial comparison results.

15% completed							
(local)\SQL2008R2 AdventureWorks_DEV	(local)\SQL2008R2 AdventureWorks_PROD						
Start Time: 7:02:00 AM Time Elapsed: 00:00:08 Comparing Production.TransactionHistory - Production.TransactionHistory							
	<u>C</u> ancel						

On completion of the data compare operation the results are displayed on a new window called "Comparison Result" within that comparison session's tab. The "Comparison Result" window is divided into five sections:

 Comparison summary. Displays the list of table/view pairs that were compared indicating the total number of rows on each of the tables in the pair, the number of rows that were found to be equal ("Equal Rows"), number of rows that were found only on the left/right table/view and could not be paired with a corresponding row on the right/left table/view ("Left Rows", "Right Rows"), and number of rows that exist in both the left and the right table/view but have at least one column that contains a different value on the left table /view from the right.

Notes on the comparison summary grid:

- Database objects that have some differences are displayed in bold.
- The check box, which indicates whether the a pair of objects can be synchronized, appears only for the object that have a valid data compare key and for which the comparison completed without error.
- If the comparison is interrupted, SQL Data Compare displays the result of the process up to the point of cancellation and marks the objects that were not compared with a question mark.
- In the comparison summary grid, an invalid object is considered an object without a valid key.
- 2. **Comparison details**. When you select a pair of objects that were found to be different in the comparison results grid, depending on the differences found one to three tabs will appear on the bottom section of the Comparison Results window: Left Rows, Right Rows, and Different Rows. For the different rows the paired columns from both tables are shown

next two each other so that you can easily see the differences. You can zoom in on a particular row to take a closer look - right click on the row you wish to inspect and click on **V** iew Row Details.

Notes on details grid:

- Columns colored in the light-blue represent columns that participate in the selected data key for that particular table or view. The key label appears in the column header as well.
- Cells colored in orange represent data that found different.
- The grey shades that alternate between columns are for displaying purposes only to distinguish between pairs of mapped columns.
- By default rows that are equal are not displayed in the row grid unless the data comparison option **Report rows that are equal** is checked.
- 3. **Generate synchronization script**. Those links will trigger the generation of the synchronization script for one direction or the other.
- 4. **Comparison action links**. The action items provided in this section are also available on the Review Comparison tab of the ribbon. Clicking on the **Refresh Results** link will trigger a re-compare of the data.
- 5. **Legend**. Provides a list of symbols used in the data compare results grid. The first two symbols, Database table and Database view are used in the first column which is unnamed and indicate whether the objects in that pair are tables or indexed views. The other three symbols are used in the **Status** column to indicate cases when the pair of objects was not included in the comparison.

Workspace	Home New Co	Review Com mpare* (1)	parison Synchronize		New Comp SOL20	are* (1) - Idera SQL da	ata compare			[O]	- = X ∽
Mapped	Objects		Comparison Result		AdventureWor	iks 🗐 🎌 🗐 A	dventureWorks_DE	1	Name Session		U
	Status Sync Left Owner III dbo III dbo III dbo III HumanResources III HumanResources				Left Nam AWBuildVersion DatabaseLop ErrorLo, Departmen EmployeeAddres EmployeeDepartmenthistor EmployeeDepartmenthistor BenployeePayHistor JobCandidat Shif Addres	e Right Name AWBuildVersion DatabaseLog ErrorLog t Department EmployeeAddres y EmployeeDepart y EmployeeDepart y EmployeeDepart b Shift S Address	Right Name AWBuildVersion DatabaseLog DatabaseLog ErrorLog Department EmployeeAddress EmployeeAddress EmployeePayHistory JobCandidate Shift Addees		Generate the script for: [(local))SQL2008R2].[AdventureV Generate the script for: [(local))SQL2008R2].[AdventureV → Refresh result grid → Go to next difference → Go to previous difference → Toggle equal objects → Toggle equal is object		3 Norks_Dev] Norks]
• • • • • • • • • • • • • • • • •	cent Powe		Person Person Person Person		AddressTyp Contac ContactTyp CountryRegio	AddressType t Contact c ContactType n CountryRegion 		Person Person Person	Legend: I Table 5 View X Missing data key Evoluded object		5
	(3) Last	lame	LastName	Suffix	Suffix	EmailAddress	EmailAddress	EmailPromotion	EmailPromotion	Phone	Pho
*	1 lina 2 caoili 3 ams		Adina Agcaoili Alameda	Null Null Null	Null Null Null	onald0@yahoo.com samuel0@google.com iili0@adventure	ronald0@adventure samuel0@adventure lili0@adventure	0 1	0 0 1	541-223-0145 991-555-4587 492-555-0189	453-555-0* 554-555-0* 1 (11) 500
Output											

Total compare from data to schema with IDERA SQL Comparison Toolset. Learn more >>

IDERA Website	Products	Purchase	Support	Community	About Us	Resources	Legal
------------------	----------	----------	---------	-----------	-------------	-----------	-------