

# Browse Tivoli Storage Manager (TSM) CLI Commands

SQL Safe provides you with CLI commands to help you manually browse tivoli storage management (TSM).

To perform Browse TSM operations use the following command:

- `SQLsafeCmd Browse TSM [options]`

## Tivoli Storage Manager Options

There are TSM options for your Browse TSM operations:

Options	Description
<code>-TsmClientOwnerName &lt;name&gt;</code>	<code>&lt;name&gt;</code> - the client owner name.
<code>-TsmClientOwnerPassword &lt;pwd&gt;</code>	<code>&lt;pwd&gt;</code> - the client owner password.
<code>-EncryptedTsmClientOwnerPassword &lt;pwd&gt;</code>	<code>&lt;pwd&gt;</code> - the encrypted TSM client owner password.
<code>-TsmConfigFile &lt;filename&gt;</code>	<code>&lt;filename&gt;</code> - the configuration file location.
<code>-TsmHighLevel &lt;name&gt;</code>	<code>&lt;name&gt;</code> - the high level file specification (path).
<code>-TsmLowLevel &lt;name&gt;</code>	<code>&lt;name&gt;</code> - the low level file specification (file name).
<code>-TsmTcpServerAddress &lt;address&gt;</code>	<code>&lt;address&gt;</code> - the TCP/IP address for the TSM server.
<code>-TsmTcpPort &lt;port&gt;</code>	<code>&lt;port&gt;</code> - the TCP/IP port address for the TSM server.
<code>-TsmIncludeInactive</code>	If set, includes the inactive file copies in the browse results.

## Advanced Options

The following advanced options help you perform Browse TSM operations:

Options	Description
<code>-ArgsFile &lt;filename&gt;</code>	The path to a file containing command-line arguments.  <code>&lt;filename&gt;</code> - specifies the file that contains the command line arguments.
<code>-NoPrompt</code>	Never prompt for credentials even if necessary.

For detailed descriptions and available options, see the CLI Help (`SQLsafeCmd help Browse TSM`).

[IDERA](#) | [Products](#) | [Purchase](#) | [Support](#) | [Community](#) | [Resources](#) | [About Us](#) | [Legal](#)