

How to install SQL Diagnostic Manager Console only

This procedure guides you through the installation of the SQL Diagnostic Manager Console only.



You must have a full installation of SQL Diagnostic Manager already running in your environment before attempting to install the SQL Diagnostic Manager desktop client console.

Perform your installation


You can install SQL Diagnostic Manager desktop client console on any computer that meets or exceeds the [product requirements](#).

Besides, SQL Diagnostic Manager allows you to perform a [manual](#) and [silent](#) installation.


Manual installation

To perform a manual installation:


1. Log on with an administrator account to the computer you want to install the SQL Diagnostic Manager desktop client console.
2. Run `Setup.exe` in the root of the installation kit.
3. On the Welcome screen, click **Next**.




4. Review the *End-User License Agreement* and accept the terms and conditions and click **Next**.



5. On the SQL Diagnostic Manager screen, select only the **SQL Diagnostic Manager Windows Console** component. Click **Next**.



6. Specify the installation path and click **Next**.



7. Click **Install** to complete your installation with the configuration you specified.



8. Click **Finish** to exit the setup program.

Silent installation

To perform a silent installation, open the Command Prompt (cmd) as administrator user and use the command below:

```
"C:\Program Files\IDERA\SQLdm x64 Installation Kit\x64\SQLDiagnosticManager-x64.exe" /v"/l*v InstallSQLDM.log INSTALLDIR="" "C:\Program Files\Idera\Idera SQL diagnostic manager"" SETUPTYPE=Console ApplicationUsers=AllUsers ALLUSERS=1 /quiet"
```

```
"<Path To SQLDiagnosticManager-x64.exe>" /v"/l*v InstallSQLDM.log INSTALLDIR="" < Installation Directory Target> "" SETUPTYPE=Console ApplicationUsers=AllUsers ALLUSERS=1 /quiet"
```

Complete the post-installation steps

When you first open the SQL Diagnostic Manager desktop client console, you must complete the fields necessary to [connect to your existing SQL Diagnostic Manager Repository](#). It is important that you have the information available to connect to the proper SQL Server instance and SQL Diagnostic Manager Repository database using the proper authentication credentials.

[IDERA](#) | [Products](#) | [Purchase](#) | [Support](#) | [Community](#) | [Resources](#) | [About Us](#) | [Legal](#)